

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBJ282Mu01 100µg

Recombinant DNA Damage Inducible Transcript 3 (DDIT3)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

kDa:

70

33

26 22

18

14

10

15% SDS-PAGE

[PROPERTIES]

Residues: Met1~Ala168

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: P35639

Host: E. coli

Subcellular Location: Cytoplasm. Nucleus.

Purity: >90%

Endotoxin Level: <1.0EU per 1µg (determined by the

Predicted Molecular Mass: 49.2kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

LAL method). Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. Predicted isoelectric point: 4.7

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

MAAESLPFTL ETVSSWELEA WYEDLQEVLS SDEIGGTYIS SPGNEEESK TFTTLDPASL
AW LT E E P G P T E V T R T S Q S P R S P D S S Q S S M A Q E E E E E Q G R T R K R K Q S G Q C
PARPGKQRMK EKEQENERKV AQLAEENERL KQEIERLTRE VETTRRALID RMVSLHQA