



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBG905Mu01 100µg

Recombinant Vasorin (VASN)

Organism Species: Mus musculus (Mouse)

Instruction manual

**FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES**

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Asn299~Ala559

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q9CZT5

Host: *E. coli*

**Subcellular Location: Membrane; Single-pass
type I membrane protein.**

Purity: >90%


**Endotoxin Level: <1.0EU per 1µg (determined by the LAL
method).**

**Formulation: Supplied as lyophilized form in PBS, pH7.4,
containing 5% trehalose, 0.01% sarcosyl.**

Predicted isoelectric point: 7.6

Predicted Molecular Mass: 32.1kDa

Accurate Molecular Mass: 36kDa as determined by SDS-PAGE reducing



The possible reasons that the actual band size differs from the predicted are as follows:

conditions. Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

Note:

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.**
- 5. Polymerization of the target protein: Dimerization, multimerization etc.**



TEL:4006-871-227 Web:www.ybio.net

Email:shybio@126.com

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

NP FNC LC PLS WF GP WV RE NH V V LAS PE ETR C H FPP KN AG R LL LD LD YAD FG C
PVT TTTATVP TIRSTIREPT LSTSSQAPTW PSLTEPTTQA STVLSTAPPT MRPAPQPQDC
PASICLNGGS CRLGARHHWE CLCPEGFIGL YCESPVEQGM KPSSIPDTPR PPPLLPLSIE
PVSPTSLRVK LQRYLQGNTV QLRSLRLTYR NLSGPDKRLV TLRLPASLAE YTVTQLRPNA
TYSICVTPLG AGRTPEGEEA CGEANTSQA