

YBB945Ra01 100µg

Recombinant Epiregulin (EREG)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

kDa 70

33

26

22

18

10

15% SDS-PAGE

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Met1~Val162

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q9Z0L5

Host: E. coli **Purity: >95%**

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).

Formulation: Supplied as lyophilized form in 20mM 1 Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5% trehalose, and

preservative.

Predicted isoelectric point: 6.4

Predicted Molecular Mass: 22.2kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile ddH2O.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

METFPAAWVL ALLCLGSHLL QAVISTTVIP SCIPEESEDN CTALVQMEDD PRVAQVLITK CSSDMDGYCL HGHCIYLVDM SEKYCRCEVG YTGLRCEHFF LTVHQPLSRE YVALTVILVF LFLIVTAGSM YYFCRWYRNR KSKKSREEYE RVTSGGPGLP QV

[REFERENCES]

- 1. Taylor D.S., et al. (1999) Proc. Natl. Acad. Sci. U.S.A. 96:1633-1638.
- 2. Sekiguchi T., et al. (2002) Endocrinology 143:4718-4729.
- 3. Gibbs R.A., et al. (2004) Nature 428:493-521.
- 4. Komurasaki T., et al. (2002) Growth Factors 20:61-69.