

YBA656Hu01 10 μ g
Recombinant Diamine Oxidase (DAO)
Organism Species: Homo sapiens (Human)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Ala347~Asp466

Tags: N-terminal His-Tag

Accession: P19801

Host: *E. coli*

Subcellular Location: Secreted, extracellular space.

Purity: >95%

Endotoxin Level: <1.0EU per 1 μ g (determined by the LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% sucrose, 0.01% sarcosyl.

Predicted isoelectric point: 5.8


Predicted Molecular Mass: 15.0kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.





[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

**AYEV SVQEAVLYG GHTPAGMQTK YLDVGWGLGS VTHELAPGID CPETATFLDT
FHYYDADDPV HYPRALCLFE MPTGVPLRRH FNSNFKGGFN FYAGLKGQVL VLRTTSTVYN
YDYIWD**

[REFERENCES]

- 1. Namikawa T., *et al.* (2012) *Oncology* 82:147-152.**
- 2. Maintz L., *et al.* (2011) *Allergy* 66:893-902.**
- 3. Honzawa Y., *et al.* (2011) *Inflamm. Bowel Dis.* 17:E23-5.**
- 4. Szczepankiewicz A., *et al.* (2010) *Clin Mol Allergy* 8:14-14.**