TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB449Mu01 100µg Recombinant Enolase, Non Neuronal (NNE) Organism Species: Mus musculus (Mouse) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

[PROPERTIES]

Residues: Met1~Lys434 (Accession # P17182), with

N-terminal His-Tag.

Host: E. coli

Subcellular Location: Cytoplasm. Cell

membrane.

Purity: >95%

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).

Formulation: Supplied as lyophilized form in 20mM Tris, 500mM NaCl, pH8.0, containing 1mM EDTA, 1mM

DTT, 0.01% sarcosyl, 5% trehalose, and preservative.

Predicted isoelectric point: 6.7


Predicted Molecular Mass: 49.5kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in ddH2O.





[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with N-terminal His-Tag, its sequence is listed below. MGHHHHHHSGSEFELRRQAC-MSILRIHARE IFDSRGNPTV EVDLYTAKGL FRAAVPSGAS TGIYEALELR DNDKTRFMGK GVSQAVEHIN KTIAPALVSK KVNVVEQEKI DKLMIEMDGT ENKSKFGANA ILGVSLAVCK AGAVEKGVPL YRHIADLAGN PEVILPVPAF NVINGGSHAG NKLAMQEFMI LPVGASSFRE AMRIGAEVYH NLKNVIKEKY GKDATNVGDE GGFAPNILEN KEALELLKTA IAKAGYTDQV VIGMDVAASE FYRSGKYDLD FKSPDDPSRY ITPDQLADLY KSFVQNYPVV SIEDPFDQDD WGAWQKFTAS AGIQVVGDDL TVTNPKRIAK AASEKSCNCL LLKVNQIGSV TESLQACKLA QSNGWGVMVS HRSGETEDTF IADLVVGLCT GQIKTGAPCR SERLAKYNQI LRIEEELGSK AKFAGRSFRN PLAK

[REFERENCES]

- 1. Merkulova T., et al. (1997) Biochem. J. 323:791-800.
- 2. Keller A., et al. (2000) Biol. Cell 92:527-535.
- 3. Giannakopoulos N.V., et al. (2005) Biochem. Biophys. Res. Commun. 336:496-506.
- 4. Ballif B.A., et al. (2008) J. Proteome Res. 7:311-318.