

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB354Mu01 50µg

Recombinant Aryl Hydrocarbon Receptor (AhR)

Organism Species: Mus musculus (Mouse)

Instruction manual

kDa

33

18

14

10

15% SDS-PAGE

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Val126~Gly385

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: P30561

Host: E. coli

Subcellular Location: Cytoplasm. Nucleus.

Purity: >95%

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).

Formulation: Supplied as lyophilized form in 20mM

Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5% trehalose,

preservative.

Predicted isoelectric point: 7.8

Predicted Molecular Mass: 59.5kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is. incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

VVTAD ALVFYASSTI QDYLGFQQSD VIHQSVYELI HTEDRAEFQR QLHWALNPDS AQGVDEAHGP PQAAVYYTPD QLPPENASFM ERCFRCRLRC LLDNSSGFLA MNFQGRLKYL HGQNKKGKDG ALLPPQLALF AIATPLQPPS ILEIRTKNFI FRTKHKLDFT PIGCDAKGQL II GYTEVELC TRGSGYOFIH AADMI HCAES HIRMIKTGES GMTVERI FAK HSRWRWVOSN ARI IYRNGRP DYIIATORPI TDEEG

[REFERENCES]

- 1. Burbach K.M., et al. (1992) Proc. Natl. Acad. Sci. U.S.A. 89:8185-8189.
- 2. Chang C.-Y., et al. (1993) Pharmacogenetics 3:312-321.
- 3. Schmidt J.V., et al. (1993) J. Biol. Chem. 268:22203-22209.
- 4. Ema M., et al. (1994) J. Biol. Chem. 269:27337-27343.