TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBC003Hu01 50µg


Recombinant Apolipoprotein B (APOB) Organism Species: Homo sapiens (Human) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan,

## [ PROPERTIES ]

Residues: His3365~Glu3548 Tags: N-terminal His-Tag Accession: P04114 Host: E. coli Subcellular Location: Cytoplasm. Secreted. Purity: >95% Endotoxin Level:  $\langle 1.0EU \text{ per } 1 \mu g \text{ (determined by the}$ LAL method). Formulation: Supplied as lyophilized form in 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and



The possible reasons that the actual band size differs from the predicted are as follows: preservative.

Predicted isoelectric point: 9.5 Predicted Molecular Mass: 21. 4kDa

2014)



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com Accurate Molecular Mass: 26kDa as determined by SDS-PAGE reducing conditions. Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

Note:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

L USAGE ]

Reconstitute in ddH<sub>2</sub>O.

## [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at  $2-8^{\circ}C$  for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that incubate the protein at 37°C for 48h, and no obvious degradation and is, precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCES ]

The sequence of the target protein is listed below.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com MEVSVATTTK AQIPILRMNF KQELNGNTKS KPTVSSSMEF KYDFNSSMLY STAKGAVDHK LSLESLTSYF SIESSTKGDV KGSVLSREYS GTIASEANTY LNSKSTRSSV KLQGTSKIDD IWNLEVKE

## [ <u>REFERENCES</u> ]

1. Knott T.C., et al. (1986) Nucleic Acids Res. 14:7501-7503.

2. Ludwig E. H., et al. (1987) DNA 6:363-372.

3. Chen S.-H., et al. (1986) J. Biol. Chem. 261:12918-12921.

4. Law S.W., et al. (1986) Proc. Natl. Acad. Sci. U.S.A. 83:8142-8146.