



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBH578Hu01 100µg

Recombinant NAD Kinase (NADK)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Leu187~His426

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: O95544

Host: *E. coli*

Subcellular Location: Cytosol.

Purity: >90%

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).


Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl.

Predicted isoelectric point: 6.7

Predicted Molecular Mass: 55.8kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)



[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

**LLYA SSLFQ GSV PP VMA FHLG SLG FLTPFSFE NF QSQ VTQV IEG NAAVVLR SRL
KVRVVKELRGKK TAVHNGLG ENGSQAAGLDMDV GKQAMQYQVLNEVVIDR
GPSSYLSNVD VYLDGHLITT VQGDGVIVST PTGSTAYAAA AGASMIHPNV PAIMITPICP
HLSFRPIVV PAGVELKIML SPEARNTAWV SFDGRKRQEI RHGDSISITT SCYPLPSICV
RDPVSDWFES LAQCLH**