TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YB90086Ra01 100µg Selectin, Leukocyte (SELL) Organism: Rattus norvegicus (Rat) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

6th Edition (Revised in March, 2013)

[PROPERTIES] kDa1 94 66.2 Residues: Ile94~Asn332 (Accession # P30836), 45 with N-terminal His-Tag. 33 Host: E. coli 26 Subcellular Location: Membrane; Single-pass 20 type I membrane protein. **Purity:** >95% 14.4 Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as lyophilized form in PBS, 15% SDS-PAGE pH7.4, containing 5% sucrose, 0.01% sarcosyl. Predicted isoelectric point: 5.9 Predicted Molecular Mass: 28.0kDa Applications: SDS-PAGE; WB; ELISA; IP. (May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with N-terminal His-Tag, its sequence is listed below. MG H H H H H H S G SE F - IG K TW T W VG TN K T LT K E AE N W G T G E P N NK K S K E D C V E IYIKRERDSG KWNDDACHKR KAAI CYTASC OPESCNRHGE CVETINNNTC ICDPGYYGPO CQYVIQCEPL KAPELGTMNC IHPLGDFSFQ SQCAFNCSEG SELLGNAKTE CGASGNWTYL EPICQVIQCM PLAAPDLGTM ECSHPLANFS FTSACTFTCS EETDLIGERK TVCRSSGSWS SPSPICQKTK RSFSKIKEGD YN