

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBC303Hu01 100µg

Recombinant Activating Transcription Factor 3 (ATF3)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

[<u>PROPERTIES</u>] Residues: Met1~Ser181 44 Tags: Two N-terminal Tags, His-tag and GST-tag 33 26 Accession: P18847 22 Host: E. coli 18 Subcellular Location: Nucleus. Purity: >90% 14 Endotoxin Level: $\langle 1.0EU \text{ per } 1 \mu g \text{ (determined by the}$ 10 LAL method). 15% SDS-PAGE Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. Predicted isoelectric point: 8.8 Predicted Molecular Mass: 50.6kDa Applications: SDS-PAGE; WB; ELISA; IP. (May be suitable for use in other assays to be determined by the end user.) [USAGE]

10th Edition (Revised in Jan, 2014)

TEL: 4006-871-227

Web:www.ybio.net Email:shybio@126.com

Reconstitute in sterile PBS, pH7.2-pH7.4.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below. MMLQHPGQVS ASEVSASAIV PCLSPPGSLV FEDFANLTPF VKEELRFAIQ NKHLCHRMSS ALESVTVSDR PLGVSITKAE VAPEEDERKK RRRERNKIAA AKCRNKKKEK TECLQKESEK LESVNAELKA QIEELKNEKQ HLIYMLNLHR PTCIVRAQNG RTPEDERNLF IQQIKEGTLQ S