



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB637Hu01 100 $\mu$ g

Recombinant Transforming Growth Factor  
Beta Stimulated Protein Clone 22  
(TSC22)

Organism Species: Homo sapiens (Human)

*Instruction  
manual*

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan,  
2014)

## [ PROPERTIES ]

Residues: Pro803~Gly1070

Tags: Two N-terminal Tags, His-tag and T7-tag


Accession: Q15714

Host: *E. coli*

Purity: >95%

Endotoxin Level: <1.0EU per 1 $\mu$ g (determined by  
the LAL method).

Formulation: Supplied as lyophilized form in PBS,  
pH7.4, containing 5% trehalose, 0.01% sarcosyl.



The possible reasons that the actual band size differs from the predicted are as follows:

Predicted isoelectric point:

4.3 Predicted Molecular Mass:

31.2kDa

Accurate Molecular Mass: 36kDa as determined by SDS-PAGE reducing  
conditions. Applications: SDS-PAGE; WB; ELISA; IP.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

**Note:**

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

[ USAGE ]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[ SEQUENCES ]

The sequence of the target protein is listed below.

PQGVEPVA QGIVSQQLPA VSSLPSASSI SVTSQVSSTG PSGMPSAPTN LVPPQNIAQT  
PATQNGNLVQ SVSQPPLIAT NTNPLAQQI PLSSTQFSAQ SLAQAGSQI EDARRAAEPS



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

LVGLPQTISG DSGGMSAVSD GSSSSLAASA SLFPLKVLPL TTPLVDGEDE SSSGASVVAI  
DNKIEQAMD L VKSHLMYAVR EEVEVLKEQI KELIEKNSQL EQENLLKTL ASPEQLAQFQ  
AQLQTGSPPA TTQPQGTTP PAQPASQSG