TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBC964Hu01 10µg

Recombinant Catherin B (CTSB)

Organism Species: Homo sapiens (Human)

Instruction manual

kDa

70

44

33

26

22

18

14

15% SDS-PAGE

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Val129~Asp333

Tags: N-terminal His-Tag

Accession: P07858

Host: E. coli

Subcellular Location: Lysosome. Melanosome.

Secreted, extracellular space.

Purity: >90%

Endotoxin Level: <1.0EU per 1 µ g (determined by

the LAL method).

Formulation: Supplied as lyophilized form in

10mM PBS. pH7.4, containing 1mM DTT. 5%

trehalose, 0.01% sarcosyl and preservative.

Predicted isoelectric point: 5.8

Predicted Molecular Mass: 23.7kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[<u>USAGE</u>]

Reconstitute in sterile ddH2O.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below. VS VEVSAEDLLT CCGSMCGDGC NGGYPAEAWN FWTRKGLVSG GLYESHVGCR PYSIPPCEHH VNGSRPPCTG EGDTPKCSKI CEPGYSPTYK QDKHYGYNSY SVSNSEKDIM AEIYKNGPVE GAFSVYSDFL LYKSGVYQHV TGEMMGGHAI RILGWGVENG TPYWLVANSW NTDWGDNGFF KILRGQDHCG IESEVVAGIP RTD

[REFERENCES]

- 1. Chan S. J., et al. (1986) Proc. Natl. Acad. Sci. U.S.A. 83:7721-7725.
- 2. Cao L., et al. (1994) Gene 139:163-169.
- 3. Moin K., et al. (1992) Biochem. J. 285:427-434.
- 4. Fong D., et al. (1986) Proc. Natl. Acad. Sci. U.S.A. 83:2909-2913.