



YBB817Mu01 10 μ g
Recombinant Versican (VS)
Organism Species: Mus musculus (Mouse)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Asn3058~Ile3299

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q62059

Host: *E. coli*

**Subcellular Location: Secreted, extracellular space
extracellular matrix.**

Purity: >90%

Endotoxin Level: <1.0EU per 1 μ g
(determined by the LAL method).


**Formulation: Supplied as lyophilized form in 20mM
Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM
DTT, 0.01% sarcosyl, 5% trehalose, and preservative.**

Predicted isoelectric point: 6.1

Predicted Molecular Mass: 31.7kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)



[USAGE]



TEL:4

006-871-

227 Web:www.ybio.ne

t Email:shybio@126.

com

Reconstitute in ddH₂O.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

**NPC LNGGTCYPTE TSYVCTCAPG YSGDQCELD F DECHSNPCRN GATCVDGFNT
FRCLCLPSYV GALCEQDTET CDYGWHKFQG QCYKYFAHRR TWDAARECR LQGAHLTSIL
SHEEQMFVNRVGH DYQWIGLNDKMF EHFDFRWT DGSALQYENWRPNQPDSF
FSAGEDCVVI IWHENGQWND VPCNYHLTYT CKKGTVACGQ PPVVENAKTF GKMKPRYEIN
SLIRYHCKDG FIQRHLPTI**

[REFERENCES]

- 1. Villen J., *et al.* (2006) *Proc. Natl. Acad. Sci. U.S.A.* 104:1488-1493.**
- 2. Aspberg A., *et al.* (1998) *J. Biol. Chem.* 274:20444-20449.**
- 3. Zako M., *et al.* (1994) *J. Biol. Chem.* 270:3914-3918.**
- 4. Ito K., *et al.* (1994) *J. Biol. Chem.* 270:958-965.**