TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBS457Ra01 50µg

Recombinant Lipocalin 5 (LCN5)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

33 26

20

14.4

15% SDS-PAGE

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Gly22~Val177

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: P06911

Host: E. coli

Subcellular Location: Secreted.

Purity: >95%

Endotoxin Level: <1.0EU per 1 µ g (determined by the LAL

method).

Formulation: Supplied as lyophilized form in 20mM

Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM

DTT, 0.01% sarcosyl, 5% trehalose, and preservative.

Predicted isoelectric point: 6.0

Predicted Molecular Mass: 44.4kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[<u>USAGE</u>]

Reconstitute in sterile ddH2O.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

GAVVKDFDI SKFLGFWYEI AFASKMGTPG LAHKEEKMGA MVVELKENLL ALTTTYYSED

HCVLEKVTAT EGDGPAKFQV TRLSGKKEVV VEATDYLTYA IIDITSLVAG AVHRTMKLYS

RSLDDNGEAL YNFRKITSDH GFSETDLYIL KHDLTCV

[REFERENCES]

- 1. Moore A., et al. (1990) Biol. Reprod. 43:497-506.
- 2. Girotti M., et al. (1992) Biochem. J. 281:203-210.
- 3. Brooks D. E., et al. (1986) J. Biol. Chem. 261:4956-4961.
- 4. Newcomer M. E., Ong D. E. (1990) J. Biol. Chem. 265:12876-12879.