



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB835Hu01 10 μ g

Recombinant Netrin 4 (Ntn4)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Glu349~His592

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: Q9HB63

Host: *E. coli*

Subcellular Location: Secreted, extracellular space,
extracellular matrix.

Purity: >95%


Endotoxin Level: <1.0EU per 1 μ g
(determined by the LAL method).

Formulation: Supplied as lyophilized form in 20mM
Tris, 500mM NaCl, pH8.0, containing 1mM EDTA, 1mM
DTT, 0.01% sarcosyl, 5% trehalose, and preservative.

Predicted isoelectric point: 7.0

Predicted Molecular Mass: 59.3kDa

Applications: SDS-PAGE; WB; ELISA; IP.





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in ddH₂O.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

EA SGNRSGGVCD DCQHNTGQY CQRCKPGFYR DLRRPFSAPD ACKPCSCHPV
GS AV L PA N S V TF C D P S N G D C PC K P G VA G R R CD R C M V G Y W G FG D Y G C R P C D
CAGSCDPITG DCISSHTDID WYHEVPDFRP VHNKSEPAWE WEDAQGFSAL LHS GKCECKE
QTLGNAKAF C GMKYSYVLKI KILSAHDKGT HVEVNVKIKK VLKSTKLKIF R GKRTLYPES
WDRGCTCPI LNP GLEYLVA GH

[REFERENCES]

1. Koch M., *et al.* (2000) J. Cell Biol. 151:221-234.
2. Lejmi E., *et al.* (2008) Proc. Natl. Acad. Sci. U. S. A. 105:12491-12496.
3. Nacht M., *et al.* (2009) Exp. Cell Res. 315:784-794.
4. Larrieu-Lahargue F., *et al.* (2010) Blood 115:5418-5426.