



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA525Po01 100 μ g

Recombinant Plasminogen Activator, Tissue (tPA)

Organism Species: *Sus scrofa*; Porcine (Pig)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Val139~Pro562

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: Q8SQ23

Host: *E. coli*

Subcellular Location: Secreted.

Purity: >90%

Endotoxin Level: <1.0EU per 1 μ g (determined by the LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl.


Predicted isoelectric point: 7.2

Predicted Molecular Mass: 89.2kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]





TEL: 4006-871-227

Web: www.ybio.net

Email: shybio@126.com

Reconstitute in sterile PBS, pH7.2-pH7.4.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

```
VT CRDEKTMIIY QHQSWLRPL LRGNRVEHCW CNDGQTQCHS VPKSCSEPR
CFNGGTCLQA IYFSDFVCQC PVGFIGRQCE IDARATCYED QGITYRGTWS TTESGAECVN
W N T S G L A S M P Y N G R R P D A V K L G L G N H N Y C R N P D K D S K P W C Y I F K A E K Y S P
DFCSTPACTK EKEECYTGGK LDYRGRSLT MSGAFCLPWN SLVLMGKIYT AWNSNAQTLG
LGKHNYCRNP DGMTQPWCHV LKDHKLTWEY CDLPQCVTCG LRQYKEPQFR IKGGLYADIT
SHPWQAAIFV KNRRSPGERF LCGGILISSC WVLSAAHCFQ ERFPPHHVRV VLGRTYRLVP
GEEEQAFEVE KYIVHKEFDD DTYDNDIALL QLKSDSLTCA QESDAVRTVC LPEANLQLPD
WTECELSGYG KHEASSPFYS ERLKEAHVRL YPSSRCTSKH LFNKTITNM LCAGDTRSGG
D N A N L H D A C Q G D S G G P L V C M K G N H M T L V G V I S W G L G C G Q K D V P G V Y T K V T
NYLNWIRDNT RP
```