

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBH833Ra01 100µg

Recombinant Iduronate-2-Sulfatase (IDS)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Ile107~Thr363

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: F1LLW8

Host: E. coli

Subcellular Location: Cytoplasm. Peroxisome.

Purity: >90%

Endotoxin Level: <1.0EU per 1µg (determined by the

LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4

containing 5% trehalose, 0.01% sarcosyl.

Predicted isoelectric point: 6.0


Predicted Molecular Mass: 59.3kDa


Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.





Email:shybio@126.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

IVFE NAFAQQAVCA PSRVSFLTGR RPDTTRLYDF NSYWRVHSGN FSTIPQYFKE
NGYVTMSVGK VFHPGISSNH SDDYPYSWSF PPYHPSSEKY ENTKTCKGQD GKLHTNLLCP
VDVADVPEGT LPDKQSTEEA IRLLEKMKTS VSPFFLAVGY HKPHIPFRYP KEFQKLYPLE
NMTLAPDPHV PDSLPPVAYN PWMDIRERED VQALNISVPY GPIPVDFQYS CSMCTILIMR
OSSGWALGEH GEWAKYSNFD VTT