

YBA954Hu01 200µg Protein Tyrosine Phosphatase Receptor Type N (PTPRN) **Organism Species: Homo sapiens (Human)** Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES



10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Pro368~Ala575 Tags: N-terminal His-Tag Accession: Q16849 Host: E. coli Subcellular Location: Membrane; Single-pass type I membrane protein. **Purity: >95%** Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as lyophilized form in 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and preservative. Predicted isoelectric point: 6.8 Predicted Molecular Mass: 23.0kDa Applications: SDS-PAGE; WB; ELISA; IP. (May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in ddH₂O.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliguot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

PKG AGRNPGGVVN VGADIKKTME GPVEGRDTAE LPARTSPMPG HPTASPTSSE VQQVPSPVSS EPPKAARPPV TPVLLEKKSP LGQSQPTVAG QPSARPAAEE YGYIVTDQNV VGPALTFRIR HNEQNLSLAD VTQQAGLVKS ELEAQTGLQI LQTGVGQREE AAAVLPQTAH STSPMRSVLL TLVALAGVAG LLVALAVALC VRQHA

[<u>REFERENCES</u>]

- 1. Lan M.S., et al. (1994) DNA Cell Biol. 13:505-514.
- 2. Rabin D.U., et al. (1994) J. Immunol. 152:3183-3188.
- 3. Solimena M., et al. (1996) EMBO J. 15:2102-2114.
- 4. Ort T., et al. (2001) EMBO J. 20:4013-4023.