



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

**YBC232Hu01 50 $\mu$ g**

**Recombinant C-Raf Proto Oncogene Serine/Threonine Protein Kinase (CRAF)**

**Organism Species: Homo sapiens (Human)**

***Instruction manual***

**FOR IN VITRO USE AND RESEARCH USE ONLY  
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES**

10th Edition (Revised in Jan, 2014)

## **[ PROPERTIES ]**

**Residues: Trp342~Ser619**

**Tags: Two N-terminal Tags, His-tag and T7-tag**

**Accession: P04049**

**Host: *E. coli***

**Subcellular Location: Cytoplasm. Cell membrane. Mitochondrion. Nucleus.**

**Purity: >95%**

**Endotoxin Level: <1.0EU per 1 $\mu$ g  
(determined by the LAL method).**


**Formulation: Supplied as lyophilized form in 20mM Tris,  
150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,  
0.01% sarcosyl, 5% trehalose, and preservative.**

**Predicted isoelectric point: 9.2**

**Predicted Molecular Mass: 35.6kDa**

**Applications: SDS-PAGE; WB; ELISA; IP.**

**(May be suitable for use in other assays to be determined by the end user.)**



## **[ USAGE ]**



TEL:

4006-871-227

Web: [www.ybio.net](http://www.ybio.net)

Email: [shybio@126.com](mailto:shybio@126.com)

**Reconstitute in ddH<sub>2</sub>O.**



TEL:4006-871-227 Web:www.ybio.net

Email:shybio@126.com

## **[ STORAGE AND STABILITY ]**

**Storage: Avoid repeated freeze/thaw cycles.**

**Store at 2-8°C for one month.**

**Aliquot and store at -80°C for 12 months.**

**Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.**

## **[ SEQUENCES ]**

**The sequence of the target protein is listed below.**

**WEIEASEVM LSTRIGSGSF GTVYK GKWHG DVAVKILKVV DPTPEQFQAF RNEVAVLRKT  
RHNILLFMG YMTKDNLAIV TQWCEGSSLY KHLHVQETKF QMFQLIDIAR QTAQGMDYLH  
AKNIIHRDMK SNNIFLHEGL TVKIGDFGLA TVKSRWGSQ QVEQPTGSVL WMAPEVIRMQ  
DNNPFSFQSD VYSYGIVLYE LMTGELPYSH INNRDQIIFM VGRGYASPD L SKLYKNCPKA  
MKRLVADCVK KVKEERPLFP QILSSIELLQ HSLPKINRS**

## **[ REFERENCES ]**

- 1. Bonner T.I., *et al.* (1986) *Nucleic Acids Res.* 14:1009-1015.**
- 2. Bonner T.I., *et al.* (1985) *Mol. Cell. Biol.* 5:1400-1407.**
- 3. Andreu-Perez P., *et al.* (2011) *Sci. Signal.* 4:RA58-RA58.**
- 4. Dozier C., *et al.* (1991) *Oncogene* 6:1307-1311.**