

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBF837Ra01 100µg Recombinant Transient Receptor Potential Cation

Channel Subfamily M, Member 7 (TRPM7)

Organism Species: Rattus norvegicus (Rat)

Instruction manual


FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[<u>PROPERTIES</u>]

Residues: Ile19~Gly179 Tags: Two N-terminal Tags, His-tag and T7-tag Accession: Q925B3 Host: *E. coli* Subcellular Location: Membrane. Purity: >90% Endotoxin Level: <1. OEU per 1µg (determined by the LAL method). Formulation: Supplied as lyophilized form in PBS, pH7. 4, containing 5% trehalose, 0. 01% sarcosyl. Predicted isoelectric point: 9.1 Predicted Molecular Mass: 21. 7kDa Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com



Reconstitute in sterile PBS, pH7.2-pH7.4.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below. I I P S S K D P H R C L P G C Q I C Q Q LV R C F C G R LV K Q H A C F TA S L AT K Y S D V K L G E H FNQAIEEWSV EKHTEQSPTD AYGVINFQGG SHSYRAKYVR LSYDTKPEII LQLLLKEWOM ELPKLVISVH GGMQKFELHP RIKQLLGKGL IKAAVTTGAW ILTGGVNTG