TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBH625Hu01 100µg

Recombinant N-Methylpurine DNA Glycosylase (MPG)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Pro70~Lys220 and Leu221~Thr296

linked by a peptide LCQALA

Tags: N-terminal His-Tag

Accession: P29372

Host: E. coli

Subcellular Location: Cytoplasm. Mitochondrion matrix, mitochondrion nucleoid.

Purity: >95%

Endotoxin Level: <1.0EU per 1µg (determined by the 15% SDS-PAGE LAL method).

Formulation: Supplied as lyophilized form in 20mM Tris,

150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% sarcosyl, 5% trehalose, and preservative.

Predicted isoelectric point: 9.6

Predicted Molecular Mass: 34.8kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

1810 14 19 12 TEL: 4006-

871-227 Web:www.ybio.net Email:shybio@126.com Reconstitute in sterile ddH₂O.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

P YRSIYFSSPK GHLTRLGLEF FDQPAVPLAR AFLGQVLVRR LPNGTELRGR IVETEAYLGP EDEAAHSRGG RQTPRNRGMF MKPGTLYVYI IYGMYFCMNI SSQGDGACVL LRALEPLEGL ETMRQLRSTL RKGTASRVLK DRELCSGPSK LCQALA LCQALAINKS FDQRDLAQDE AVWLERGPLE PSEPAVVAAA RVGVGHAGEW ARKPLRFYVR GSPWVSVVDR VAEQDT

[REFERENCES]

- 1. Samson L., et al. (1991) Proc. Natl. Acad. Sci. U.S.A. 88:9127-9131.
- 2. Vickers M.A., et al. (1993) Proc. Natl. Acad. Sci. U.S.A. 90:3437-3441.
- 3. Chakravarti D., et al. (1991) J. Biol. Chem. 266:15710-15715.
- 4. O'Connor T.R., Laval J. (1991) Biochem. Biophys. Res. Commun. 176:1170-1177.