TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA009Rb01 50µg

Recombinant Angiopoietin 2 (ANGPT2)

Organism Species: Oryctolagus cuniculus (Rabbit)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

## [ PROPERTIES ]

Source: Prokaryotic expression.

Host: E. coli

Residues: Leu230~Thr487

Tags: N-terminal His-Tag

Purity: >98%

Traits: Freeze-dried powder

Buffer formulation: 100mM NaHCO3, 500mM NaCl, pH8.3, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; ReporterAssays;

Purification; Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.2

Predicted Molecular Mass: 32.8kDa

Accurate Molecular Mass: 31kDa as determined by SDS-PAGE reducing conditions.

# [ USAGE ]

Reconstitute in 100mM NaHCO3, 500mM NaCl (pH8.3) to a concentration of  $0.1-1.0\ mg/mL$ . Do not vortex.

### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



# [ SEQUENCE ]

L ERQLVTATVN NSALQKQQHD LTETVHSLLT MIATSSSAKN SFAAKEEQIT FRDCADVFRS GLTTSGIYTL TFPNSTEETK AYCDMETGGG GWTTIQRRED GSVDFQRTWK EYKVGFGNPS GEHWLGNEFV SQLTNQQRYV LKIHLRDWEG NEAYSLYEHF YLSSEEFNYR IHLKGLTGTA GKISSISQPG NDFSTKDADN DKCICKCSQM LTGGWWFDAC GPSNLNGMYY PQRQNTNKFN GIKWYYWKGS GYSLKAT

#### [ IDENTIFICATION ]




Figure 1. SDS-PAGE



EL:4006-871-

227 Web:www.ybio. net Email:shybio

@126.com