



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBE537Hu01 100µg

Recombinant Neural Cell Adhesion Molecule 2 (NCAM2)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Leu21~Gln297

Tags: Two N-terminal Tags, His-tag and GST-tag

Accession: O15394

Host: *E. coli*

Subcellular Location: Cell membrane, Single-pass type I membrane protein.

Purity: >90%

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl.

Predicted isoelectric point: 5.0


Predicted Molecular Mass: 60.9kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.





[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

**LQVTISLSKV ELSVGESKFF TCTAIGEPES IDWYNPQGEK IISTQRVVVQ KEGVRSRLTI
YNANIEDAGI YRCQATDAKG QTQEATVVLE IYQKLTFREV VSPQEFKQGE DAEVVCRVSS
SPAPAVSWLY HNEEVTTISD NRFAMLANNN LQILNINKSD EGIYRCEGRV EARGEIDFRD
IIVIVNVPPA ISMPQKSFNA TAERGEEMTF SCRASGSPEP AISWFRNGKL IEENEKYILK
GSNTELTVRN IINSDDGGPYV CRATNKAGED EKQAFLQ**