



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBD294Ra01 50μg

Recombinant Cytochrome P450 1A2 (CYP1A2)

**Organism Species: Rattus norvegicus
(Rat)**

*Instruction
manual*

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May,
2016)

[PROPERTIES]

Source: Prokaryotic expression.

Host: *E. coli*

Residues: Val192~Glu444

Tags: N-terminal His-Tag

Subcellular Location: ER membrane.

Purity: >98%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM

EDTA, 1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Reporter Assays;

Purification; Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Predicted isoelectric point:

6.1 Predicted Molecular Mass:

33.0kDa

Accurate Molecular Mass: 33kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

VESVANVIG
AMCFGKNFPR KSEEMLNLVK SSKDFVENVT SGNVDFFPV LRYLNPALK
RFKNFNDNFV LFLQKTVQEH YQDFNKNSIQ DITGALFKHS ENYKDNGLI
PQEIVNIVN DIFGAGFETV TTAIFWSILL LVTEPKVQRK IHEELDTVIG
RDRQRLSDR PQLPYLEAFI LEIYRYTSFV PFTIPHSTR DTSLNGFHIP
KECCIFINQW QVNHDEKQWK DPFVFRPERF LTNDNTAIDK TLSE

[IDENTIFICATION]




Figure 1. SDS-PAGE