



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YB92769Hu01

Ribophorin I (RPN1)

Organism: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES

5th Edition (Revised in January, 2013)

[DESCRIPTION]

Protein Names: Ribophorin I

Synonyms: RPN1

Species: Human

Size: 100 μ g

Source: *Escherichia coli* -derived

Subcellular Location: Endoplasmic reticulum membrane; Single-pass type I membrane protein. Melanosome.


[PROPERTIES]

Residues: Ala24~Ser179 (Accession # P04843), with

N-terminal His-Tag.

Grade & Purity: >95%, 21kDa as determined by SDS-PAGE reducing conditions.

Formulation: Supplied as lyophilized form in PBS, pH 7.4, containing 5% sucrose.



15% SDS-PAGE



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Endotoxin Level: <1.0 EU per 1 μ g (determined by the LAL method).

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

Predicted Molecular Mass: 18.4kDa

Predicted isoelectric point: 6.6



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[PREPARATION]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with N-terminal His-Tag, its sequence is listed below.

MGHHHHHSGS-ASSEAPP LINEDVKRTV DLSSHLAKVT AEVVLAHLGG GSTSRATSFL
LALEPELEAR LAHLGVQVKG EDEEENNLEV RETKIKGKSG RFFTVKLPVA LDPGAKISVI
VETVYTHVLH PYPTQITQSE KQFVVFEGNH YFYSPYPTKT QTMRVKLAS