

YBC323Hu01 10µg

Recombinant Ectonucleotide Pyrophosphatase/Phosphodiesterase 2 (ENPP2) Organism Species: Homo sapiens (Human)

> Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

[<u>PROPERTIES</u>]

Residues: Arg637^{Lys905} (Accession # Q13822), with kDa 94 66.2 two N-terminal Tags, His-tag and T7-tag. 45 Host: E. coli 33 Subcellular Location: Secreted. 26 Purity: >95% 20 Endotoxin Level: $\langle 1.0EU \text{ per } 1 \mu g \text{ (determined by the}$ LAL method). 14.4 Formulation: Supplied as lyophilized form in 20mM 15% SDS-PAGE Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and preservative. Predicted isoelectric point: 6.5 Predicted Molecular Mass: 35.0kDa Applications: SDS-PAGE; WB; ELISA; IP. (May be suitable for use in other assays to be determined by the end user.)



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[<u>USAGE</u>]



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Reconstitute in ddH₂O.

「 STORAGE AND STABILITY 】

Storage: Avoid repeated freeze/thaw cycles.

Store at $2-8^{\circ}$ C for one month.

Aliguot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with two N-terminal Tags, His-tag and T7-tag, its sequence is listed below.

MG S S H H H H H H SS G LV P R G S H MA S MT G G Q Q M GR G S E F – R L H T KG S T E E R H LL YGRPAVLYRT RYDILYHTDF ESGYSEIFLM PLWTSYTVSK QAEVSSVPDH LTSCVRPDVR VSPSFSQNCL AYKNDKQMSY GFLFPPYLSS SPEAKYDAFL VTNMVPMYPA FKRVWNYFQR VLVKKYASER NGVNVISGPI FDYDYDGLHD TEDKIKQYVE GSSIPVPTHY YSIITSCLDF TQPADKCDGP LSVSSFILPH RPDNEESCNS SEDESKWVEE LMKMHTARVR DIEHLTSLDF FRKTSRSYPE ILTLK

[REFERENCES]

1. Murata J., et al. (1994) J. Biol. Chem. 269:30479-30484. 2. Kawagoe H., et al. (1995) Genomics 30:380-384. 3. Lee H.Y., et al. (1996) Biochem. Biophys. Res. Commun. 218:714-719. 4. Giganti A., et al. (2008) J. Biol. Chem. 283:7776-7789.