



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBM264Hu01 100 μ g

Recombinant Specificity Protein 1 (Sp1)

Organism : Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

[PROPERTIES]

Residues: Leu260~Ala591 (Accession # P08047), with two N-terminal Tags, His-tag and GST-tag.

Host: *E. coli*

Subcellular Location: Nucleus. Cytoplasm.

Purity: >95%

Endotoxin Level: <1.0EU per 1 μ g (determined by the LAL method).


Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and preservative.

Predicted isoelectric point: 5.5

Predicted Molecular Mass:

65.4kDa

Applications: SDS-PAGE; WB; ELISA; IP.





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with two N-terminal Tags, His-tag and GST-tag, its sequence is listed below.

MSPILGYWKI KGLVQPTRLL LEYLEEKYEE HLYERDEGDK WRNKKFELGL EFPNLPPYYID
GDVKLTQSMA IIRYIADKHN MLGGCPKERA EISMLEGAVL DIRYGVSRIA YSKDFETLKV
DFLSKLPEML KMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCFK
KRIEAIPQID KYLKSSKYIA WPLQGWQATF GGGDHPPKSD GSTSGSGHHH HHHSAGLVPR
GSTAIGMKET AAKFERQHM DSPDLGTLEV LFQGPLGSEF- L NGNITLLPVN SVSAATLTPS
SQAVTISSSG SQESGSQPVT SGTTISSLV VSSQASSSSF FTNANSYTT TTTSNMGIMN
FT T S G S S G T N S Q G Q T P Q R V S G L Q G S D A L N I Q Q N Q T S G G S L Q A G Q Q K E G E Q
NQQTQQQQIL IQPQLVQGGQ ALQALQAAPL SGQTFTTQAI SQETLQNLQL QAVPNSGPII
IRTPTVGPNG QVSWQTLQLQ NLQVQNPQAAQ TITLAPMQGV SLGQTSSNT TLTPIASAAS
IPAGTVTVNA AQLSSMPGLQ TINLSALGTS GIQVHPIQGL PLAIANAPGD HGAQLGLHGA
GGDGIGHDDTA GGEEGENSPD A

[REFERENCES]



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

1. Infantino V., *et al.* (2011) Biochem. Biophys. Res. Commun. 412:86–91.
2. Takahara T., *et al.* (2000) J. Biol. Chem. 275:38067–38072.
3. Jackson S.P., Tjian R. (1988) Cell 55:125–133.
4. Courey A.J., Tjian R. (1988) Cell 55:887–898.