TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBB629Mu01 50µg

Recombinant Insulin Like Growth Factor 2 Receptor (IGF2R)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

[PROPERTIES]

Source: Prokaryotic expression.

Host: E. coli

Residues: Val1148~Gln1365

Tags: N-terminal His-Tag

Tissue Specificity: Liver.

Subcellular Location: Lysosome membrane; Single-pass type I

membrane protein.

Purity: >95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Reporter Assays;

Purification; Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.5 Predicted Molecular Mass: 28.3kDa

Accurate Molecular Mass: 28kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

VQI

SPQATGNGSL SILYVNGDRC GDQRFSTRIV FECAQTSGSP MFQFVNNCEY VFVWRTVEAC PVIREEGDNC QVKDPRHGNL YDLKPLGLND TIVSVGEYTY YLRVCGKLSS DVCSAHDGSK AVSSCQEKKG PQGFQKVAGL LSQKLTFENG LLKMNYTGGD TCHKVYQRST TIYFYCDRTT QKPVFLKETS DCSYMFEWRT QYACPPFNVT ECSVQ

[IDENTIFICATION]





TEL: 4006-871-227 Web: www.ybio.net Email: shybio@126.com