



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YB92452Mu01 100µg

Ectodysplasin A (EDA)

Organism: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

7th Edition (Revised in May, 2013)

[PROPERTIES]

Residues: Pro141~Thr378 (Accession # 054693),
with N-terminal His-Tag.

Host: *E. coli*

Subcellular Location: Cell membrane;
Single-pass type II membrane protein.

Purity: >95%

Endotoxin Level: <1.0EU per 1 µg
(determined by the LAL method).


Formulation: Supplied as lyophilized form in PBS,
pH7.4, containing 5% sucrose, 0.01% sarcosyl.

Predicted isoelectric point: 9.4

Predicted Molecular Mass: 26.5kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)



[USAGE]



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with N-terminal His-Tag, its sequence is listed below.

```
MGHHHHHH SG S-PDEKAYSEEE SRRVRRNKRS KSG EGADGPV KNKKKGKKAG
P P G P N G P P G P P G P P G P Q G P P G I P G I P G I P G T T V M G P P G P P G P P G P Q G P P G
LQGPSGAADK TGTRENQPAV VHLQGQSAI QVKNDLSGGV LNDWSRITMN PKVFKLHPRS
GELEVLVDGT YFIYSQVEVY YINFTDFASY EVVVDEKPFL QCTRSIETGK TNYNTCYTAG
VCLKARQKI AVKMHADIS INMSKHTT
```