TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YB91678Mu01 100µg

Lymphocyte Antigen 9 (LY9)

Organism: Mus musculus (Mouse)

Instruction manual

kDa

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

6th Edition (Revised in March, 2013)

[PROPERTIES]

Residues: Val384~Ala642 (Accession # Q01965), with N-	94 66.2	=	
terminal His-Tag.	45		
Host: E. coli			
Subcellular Location: Membrane; Single-pass type I	33		
membrane protein.	26		
Purity: >95%	20	-	
Endotoxin Level: <1.0EU per 1µg (determined by the LAL			
method).	14.4		
Formulation: Supplied as lyophilized form in PBS, pH7.4,			
containing 5% sucrose, 0.01% sarcosyl.	15% SDS-PAGE		
Predicted isoelectric point: 5.9			
Predicted Molecular Mass: 30.4kDa			
Applications: SDS-PAGE; WB; ELISA; IP.			
(May be suitable for use in other assays to be determined by the	e end use	r.)	

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with N-terminal His-Tag, its sequence is listed below. MG H HH H HH S GS E F-V D GG G N N VTY TWMP LQ N KAVMS Q GK SH LNV SW ES G EH LPNFTCTAHN PVSNSSSQFS SGTICSGPER NKRFWLLLLL VLLLLMLIGG YFILRKKKQC SSLATRYRQA EVPAEIPETP TGHGQFSVLS QRYEKLDMSA KTTRHQPTPT SDTSSESSAT TEEDDEKTRM HSTANSRNQV YDLVTHQDIA HALAYEGQVE YEAITPYDKV DGSMDEEDMA YIQVSLNVQG ETPLPQKKED SNTIYCSVQK PKKTAQTPQQ DA