TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBC362Ra01 100ug

Recombinant Carbonyl Reductase 1 (CBR1)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

	kDa	
[<u>PROPERTIES</u>]	70	-
Residues: Ser2~Asp271	44	
Tags: Two N-terminal Tags, His-tag and T7-tag	33	-
Accession: P47727	26	-
Host: <i>E. coli</i>	22	-
Subcellular Location: Cytoplasm.	18	-
Purity: >95%		
Endotoxin Level: $<1.0EU$ per $1 \mu g$ (determined by the LAL	14	
method).	10	-
Formulation: Supplied as lyophilized form in 20mM Tris,	1	5% SDS-PAGE
150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01%		
sarcosyl, 5% trehalose, and preservative.		

10th Edition (Revised in Jan, 2014)

The possible reasons that the actual band size differs from the predicted are as follows: Predicted isoelectric point: 7.6 Predicted Molecular Mass:

33.4kDa



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Accurate Molecular Mass: 37kDa as determined by SDS-PAGE reducing conditions. Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

- Note:
- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in sterile ddH₂O.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that incubate the protein at 37° C for 48h, and no obvious degradation and is, precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com SSDRPVALV TGANKGIGFA IVRDLCRKFL GDVVLTARDE SRGHEAVKQL QTEGLSPRFH QLDIDNPQSI RALRDFLLQE YGGLNVLVNN AGIAFKVVDP TPFHIQAEVT MKTNFFGTQD VCKELLPIIK PQGRVVNVSS SVSLRALKSC SPELQQKFRS ETITEEELVG LMNKFIEDAK KGVHAKEGWP NSAYGVTKIG VTVLSRIYAR KLNEERREDK ILLNACCPGW VRTDMAGPKA TKSPEEGAET PVYLALLPPG AEGPHGQFVQ D