TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA797Ra01 10µg Recombinant Angiotensinogen (AGT) Organism Species: Rattus norvegicus (Rat) Instruction manual


FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

[PROPERTIES] kDa 94 66.2 Residues: Asp25^{Val477} (Accession # P01015), with two 45 N-terminal Tags, His-tag and S-tag. 33 Host: E. coli 26 Subcellular Location: Secreted. Purity: >95% 20 Endotoxin Level: <1.0EU per 1µg 14.4 (determined by the LAL method). Formulation: Supplied as lyophilized form in PBS, pH7.4, 15% SDS-PAGE containing 5% sucrose, 0.01% sarcosyl. Predicted isoelectric point: 5.4 Predicted Molecular Mass: 55.3kDa Applications: SDS-PAGE; WB; ELISA; IP. (May be suitable for use in other assays to be determined by the end user.)

[<u>USAGE</u>]

Reconstitute in sterile PBS, pH7.2-pH7.4.

9th Edition (Revised in Jul, 2013)





[<u>STORAGE AND STABILITY</u>]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCES</u>]

```
The target protein is fused with two N-terminal Tags, His-tag and S-tag,
its sequence is listed below.
MHHHHHHSSG LVPRGSGMKE TAAAKFERQH MDSPDLGTDD DDKAMADIGS EF- DRVYIH
PFHLLYYSKS TCAQLENPSV ETLPEPTFEP VPIQAKTSPV DEKTLRDKLV LATEKLEAED
RQRAAQVAMI ANFMGFRMYK MLSEARGVAS GAVLSPPALF GTLVSFYLGS LDPTASQLQV
LLGVPVKEGD CTSRLDGHKV LTALQAVQGL LVTQGGSSSQ TPLLQSTVVG LFTAPGLRLK
QPFVESLGPF TPAIFPRSLD LSTDPVLAAQ KINRFVQAVT GWKMNLPLEG VSTDSTLFFN
TY V H F Q G K M R G F S Q LT G L H E FW V D N S T S V S VP M L S G T G N F Q H W S D A Q N N
F
SVTRVPLGES VTLLLIQPQC ASDLDRVEVL VFQHDFLTWI KNPPPRAIRL TLPQLEIRGS
YNLQDLLAQA KLSTLLGAEA NLGKMGDTNP RVGEVLNSIL LELQAGEEEQ PTESAQQPGS
PEVLDVTLSS PFLFAIYERD SGALHFLGRV DNPQNVV
```

[<u>REFERENCES</u>]

Alvin Z., *et al.* (2011) Can. J. Physiol. Pharmacol. 89:206-215.
 Shen Y., *et al.* (2011) Zhong Xi Yi Jie He Xue Bao 9:313-319.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

- 3. Gard P.R., et al. (2011) J. Pharm. Pharmacol. 63:565-571.
- 4. Stobdan T., et al. (2011) J Renin Angiotensin Aldosterone Syst 12:93-101.