



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBC886Hu01 100 $\mu$ g

Recombinant Synaptotagmin I (SYT1)

Organism Species: Homo sapiens (Human)

*Instruction  
manual*

FOR IN VITRO USE AND RESEARCH USE ONLY  
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan,  
2014)

### [ PROPERTIES ]

Residues: Glu136~Lys422

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: P21579


Host: *E. coli*

Subcellular Location: Cytoplasmic vesicle, secretory vesicle, synaptic vesicle membrane; Single-pass membrane protein.

Purity: >90%

Endotoxin Level: <1.0EU per 1 $\mu$ g (determined by the LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl.



The possible reasons that the actual band size differs from the predicted are as follows:

Predicted isoelectric point:

7.9 Predicted Molecular Mass:

36.6kDa

Accurate Molecular Mass: 42kDa as determined by SDS-PAGE reducing conditions. Applications: SDS-PAGE; WB; ELISA; IP.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

(May be suitable for use in other assays to be determined by the end user.)

**Note:**

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

[ USAGE ]

Reconstitute in sterile PBS, pH7.2-pH7.4.

[ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[ SEQUENCES ]

The sequence of the target protein is listed below.

EPKEE EKLGKLQYSL DYDFQNNQLL VGIIQAAELP ALDMGGTSDP YVKVFLLPDK

KKKFETKVHR KTLNPFVNEQ FTFKVPYSEL GGTKLVMAVY DFDRFSKHDI IGEFKVPMNT

VDFGHVTEEW RDLQSAEKEE QEKLGDICFS LRYVPTAGKL TVVILEAKNL KKMDVGGLSD



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

PYVKIHLMQN GKRLKKKKT IKKNTLNPYY NESFSFEVPP EQIQKVQVVV TVLDYDKIGK

NDAIGKVFVG YNSTGAELRH WSDMLANPRR PIAQWHTLQV EEEVDAMLAV KK