

TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBA842Hu01 100µg

Recombinant Lipoprotein, a (Lpa)

Organism Species: Homo sapiens (Human)

Instruction manual

kDa 70

44

33

26 22

18

14

10

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

## [ PROPERTIES ]

Residues: Asp4227~Arg4546

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: P08519

Host: E. coli

Purity: >95%

Endotoxin Level: <1.0EU per 1 µ g (determined by the LAL

method).

Formulation: Supplied as lyophilized form in 20mM Tris, 15% SDS-PAGE

150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01%

sarcosyl, 5% trehalose, and preservative.

Predicted isoelectric point: 8.4

Predicted Molecular Mass: 39.1kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

# [ USAGE ]

Reconstitute in ddH<sub>2</sub>O.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCES ]

The sequence of the target protein is listed below. DCMF GNGKGYRGKK ATTVTGTPCQ EWAAQEPHRH STFIPGTNKW AGLEKNYCRN PDGDINGPWC YTMNPRKLFD YCDIPLCASS SFDCGKPQVE PKKCPGSIVG GCVAHPHSWP WQVSLRTRFG KHFCGGTLIS PEWVLTAAHC LKKSSRPSSY KVILGAHQEV NLESHVQEIE VSRLFLEPTQ ADIALLKLSR PAVITDKVMP ACLPSPDYMV TARTECYITG WGETQGTFGT GLLKEAQLLV IENEVCNHYK YICAEHLARG TDSCQGDSGG PLVCFEKDKY ILQGVTSWGL GCARPNKPGV YARVSRFVTW IEGMMR

## [ REFERENCES ]

- 1. McLean J. W., et al. (1987) Nature 330:132-137.
- 2. Salonen E. -M., et al. (1989) EMBO J. 8:4035-4040.
- 3. Garner B., et al. (2001) J. Biol. Chem. 276:22200-22208.
- 4. Mikol V., et al. (1996) J. Mol. Biol. 256:751-761.