



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

YBD951Hu01 100 μ g

Recombinant Retinoic Acid Receptor Beta (RAR β)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Leu205~Ser451

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: P10826

Host: *E. coli*

Subcellular Location: Nucleus. Cytoplasm.

Purity: >90%

Endotoxin Level: <1.0EU per 1 μ g (determined by the LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl.


Predicted isoelectric point: 5.8

Predicted Molecular Mass: 31.1kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]





TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

Reconstitute in sterile PBS, pH7.2-pH7.4.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

LGKY TT NSS ADH RVR L DLGLWDK FSE LATAK CIK IV EFAKR LPG FT GLTIAD QITL
LKAACLDILI LRICTRYTPE QDTMTFSDGL TLNRTQMNA GFGPLTDLVF TFANQLLPLE
MDDTETGLLS AICLICGDRQ DLEEPTKVDK LQEPLEALK IYIRKRRPSK PHMFPKILMK
ITDLRSISAK GAERVITLKM EIPGSMPLI QEMLENSEGH EPLTPSSSGN TAEHSPSISP
SSVENSGVSQ S