

### YBA819Mu01 50µg

### Recombinant Parathyroid Hormone Related Protein (PTHrP)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES.

11th Edition (Revised in May, 2016)

# [ PROPERTIES ]

**Source:** Prokaryotic expression.

Host: E. coli

Residues: Ala37~His175 Tags: N-terminal His-Tag

Tissue Specificity: Mammary Gland.

**Subcellular Location:** Cytoplasm. Nucleus. Secreted.

**Purity: >98%** 

**Traits:** Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01%

sarcosyl and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Reporter Assays; Purification;

Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 10.1 Predicted Molecular Mass: 17.4kDa

Accurate Molecular Mass: 18&19kDa as determined by SDS-PAGE

reducing conditions.

#### Phenomenon explanation:

The possible reasons that the actual band size differs from the predicted are as follows:



- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

## [USAGE]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80<sub>o</sub>C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]

| ULGULITUE | AVSE HOLLHDKGKS IQDLRRRFFL HHLIAEIHTA EIRATSEVSP NSKPAPNTKN HPVRFGSDDE GRYLTQETNK VETYKEQPLK TPGKKKKGKP GKRREQEKKK RRTRSAWPST AASGLLEDPL PHTSRTSLEP SLRTH




Figure 1. Gene Sequencing (Extract)




Figure 2, SDS-PAGE



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com



EL:4006-871-227 Web:www.ybi o.net Email:shy bio@126.com