

#### YBD418Hu01 10µg

Recombinant Myosin Heavy Chain 7, Cardiac Muscle, Beta (MYH7) **Organism Species: Homo sapiens (Human)** 

Instruction manual

94 66.2

45

26

20

14.4

### FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

## [PROPERTIES]

Residues: Arg1268~Leu1516

Tags: N-terminal His-Tag

Accession: P12883

Host: E. coli

Subcellular Location: Cytoplasm, myofibril.

**Purity: >95%** 

Endotoxin Level: <1.0EU per 1µg (determined by the

LAL method).

Formulation: Supplied as lyophilized form in 20mM 15% SDS-PAGE

Tris, 500mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% sarcosyl, 5% trehalose, and

preservative

Predicted isoelectric point: 5.3

Predicted Molecular Mass: 30.5kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

# [USAGE]

Reconstitute in sterile ddH2O.



# [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

# [SEQUENCES]

The sequence of the target protein is listed below.

RS V ND LT S Q R A K L QTE N G E L S R Q LD E K E AL I SQ LTR G K LTY T Q QLE D L KR Q LE EEVKAKNALA HALQSARHDC DLLREQYEEE TEAKAELQRV LSKANSEVAQ WRTKYETDAI QRTEELEEAK KKLAQRLQEA EEAVEAVNAK CSSLEKTKHR LQNEIEDLMV DVERSNAAAA ALDKKORNFD KILAEWKOKY EESOSELESS OKEARSLSTE LFKLKNAYEE SLEHLETFKR **ENKNLQEEIS DLTEQL** 

# [ REFERENCES ]

- 1. Jaenicke T., et al. (1990) Genomics 8:194-206.
- 2. Liew C.-C., et al. (1990) Nucleic Acids Res. 18:3647-3651.
- 3. Wendel B., et al. (2000) J. Cell. Biochem. 79:566-575.
- 4. Cuda G., et al. (1993) J. Clin. Invest. 91:2861-2865.