

YBA047Rb01 50µg

Recombinant Hepatocyte Growth Factor (HGF)

Organism Species: Oryctolagus cuniculus (Rabbit)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Gln32~Arq494

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: C9E9X4

Host: E. coli **Purity: >95%**

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).

Formulation: Supplied as lyophilized form in 20mM Tris. 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% sarcosyl, 5% trehalose, and preservative.




Predicted Molecular Mass: 57.2kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile ddH₂O.



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

QKKRRNTLH EFKKSAKTIL IKEDPLLKIK TKKMNTADQC ANRCIRNKGL PFTCKAFVFD KTKKRCLWFP FNSMSSGVKK EFGHEFDLYE NKDYIRNCII GKGGSYKGTV SITKSGIKCQ PW SSMIPHEH SFLPSSYRGK DLQEN YCRNP R GEEGGPW CF TSNPEVRYEV CDIPQCS EVE C MTC NG ESYR GP MDH TESG K ICQRW DHQTP **HRHKFLPERY** PDKGFDDNYC RNPDGK PRPW CYTI DPDTPW EYCAIK MCAH SI MND TDV PM ETTECIQGQG EGYRGTINTI WNGIPCQRWD SQYPHQHDIT PENFKCKDLR ENYCRNPDGA ESPWCFTTDPNIRVGYCSQI PK C D VS S G Q D CYLGNGK N YM GNLSKTRSGL

RNPDDDAHGP W CYTGNPLVP TCSMW DKNME DLHRHTFW EP DASKLNKNYC WDYCPLARCE GDTTPTIVNL DHPVVSCAKT KQLR

[REFERENCES]

- 1. Baron W.F., Juan T. (2009) Submitted to the EMBL/GenBank/DDBJ databases.
- 2. Gallagher, J.T., Lyon, M. (2000) In lozzo, M, V. Proteoglycans: structure, biology and molecular interactions. Marcel Dekker Inc. New York, New York. pp. 27-59.
- 3. Bottaro DP., et al. (1991) Science 251 (4995): 802-4.
- 4. Hahn W., et al. (2011) The Journal of Gene Medicine 13 (10): 549–55.