YBG917Hu01 100µg

Recombinant Uracil DNA Glycosylase (UNG)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[<u>PROPERTIES</u>]

Residues: Met1~Leu313 Tags: Two N-terminal Tags, His-tag and T7-tag Accession: P13051 Host: E. coli Subcellular Location: Mitochondrion. **Purity: >95%** Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. Predicted isoelectric point: 9.4 Predicted Molecular Mass: 38.3kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.



^{15%} SDS-PAGE



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCES</u>]

The sequence of the target protein is listed below.

MIGQKTLYSF FSPSPARKRH APSPEPAVQG TGVAGVPEES GDAAAIPAKK APAGQEEPGT PPSSPLSAEQ LDRIQRNKAA ALLRLAARNV PVGFGESWKK HLSGEFGKPY FIKLMGFVAE ERKHYTVYPP PHQVFTWTQM CDIKDVKVVI LGQDPYHGPN QAHGLCFSVQ RPVPPPSLE NIYKELSTDI EDFVHPGHGD LSGWAKQGVL LLNAVLTVRA HQANSHKERG WEQFTDAVVS WLNQNSNGLV FLLWGSYAQK KGSAIDRKRH HVLQTAHPSP LSVYRGFFGC RHFSKTNELL QKSGKKPIDW KEL