



TEL:4006-871-227 Web:www.ybio.net Email:shybio@126.com

RPN433Hu01 100 $\mu$ g

Recombinant Progesterone Immunomodulatory Binding Factor 1 (PIBF1)

Organism Species: Homo sapiens (Human)

*Instruction  
manual*

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan,  
2014)

## [ PROPERTIES ]

Residues: Asn13~Val203

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q8WXW3


Host: *E. coli*

Purity: >95%

Endotoxin Level: <1.0EU per 1 $\mu$ g (determined by the  
LAL method).

Formulation: Supplied as lyophilized form in PBS,  
pH7.4, containing 5% trehalose, 0.01% sarcosyl.

Predicted isoelectric point: 4.9 Predicted



The possible reasons that the actual band size differs from the predicted are as follows:

Molecular Mass: 26.4kDa

Accurate Molecular Mass: 30kDa as determined by SDS-PAGE reducing  
conditions. Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end  
user.)



#### Note:

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

#### [ USAGE ]

Reconstitute in sterile PBS, pH7.2-pH7.4.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

#### [ SEQUENCES ]

The sequence of the target protein is listed below.

NISSLES EDISLETTVP TDDISSSEER EGKVRITRQL IERKELLHNI QLLKIELSQK  
TMMIDLKVD YLTKIEELE KLNDALHQKQ LLTLRLDNQL AFQKDKASKY QELMKQEMET  
ILLRQKQLEE TNLQLEKAG DVRRNLRDFE LTEEQYIKLK APPEQLSIP EYVSVRFYEL  
VNPLRKEICE LQV